

Beilage 2 zu KOA 1531/01-11

Technische Anlageblätter

•

| Administrative Data | Emission Characteristics | | | | | | | | | | | | | | | | | | | | |
|--|---|---------|--------|---------|--------|--------|----------------------|--|--|--|--|--------------------|--|--|--|--|-----------------|--|--|--|--|
| <p>Source Notice Type: 1A5</p> <p>Date Of Notice: 13-Dec-1993</p> <p>Date Notice Received: 093005406</p> <p>Assignment ID: AUT</p> <p>Notifying Admin: GE84</p> <p>ID Given By The Admin: GE84</p> <p>Fragment:</p> | <p>Assigned Frequency: 102.300 [MHz]</p> <p>Frequency Stability: NORMAL</p> <p>Class Of Emission: F9EHF</p> <p>Bandwidth: 300.000 [kHz]</p> <p>Effective Radiated Power (E.R.P): Maximum: 10.000 [dBW] Horizontal: 10.000 [dBW]</p> <p>Azimuth Of Maximum Radiation: 4</p> <p>Transmission System:</p> | | | | | | | | | | | | | | | | | | | | |
| Station And Site Information | Findings Information | | | | | | | | | | | | | | | | | | | | |
| <p>Station Identification: SOELDEN</p> <p>Site Name: BC</p> <p>Call Sign: AUT</p> <p>Class Of Station: 1</p> <p>Country: 11°00'00"E - 46°58'00"N</p> <p>Radiocommunication Region: 1440 [m]</p> <p>Geographical Coordinates:</p> <p>Site Altitude Above Sea Level:</p> | <table border="1"> <thead> <tr> <th>Type</th> <th>Status</th> <th>Finding</th> <th>Update</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td>Finding Observation:</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Finding Reference:</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Finding Action:</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | Type | Status | Finding | Update | Source | Finding Observation: | | | | | Finding Reference: | | | | | Finding Action: | | | | |
| Type | Status | Finding | Update | Source | | | | | | | | | | | | | | | | | |
| Finding Observation: | | | | | | | | | | | | | | | | | | | | | |
| Finding Reference: | | | | | | | | | | | | | | | | | | | | | |
| Finding Action: | | | | | | | | | | | | | | | | | | | | | |
| Antenna Characteristics | | | | | | | | | | | | | | | | | | | | | |
| <p>Antenna Directivity: ND</p> <p>Polarization: H</p> <p>Height Above Ground Level: 20.000 [m]</p> <p>Maximum Effective Height: 19 [m]</p> | | | | | | | | | | | | | | | | | | | | | |

| Publication Information | | | Coordination Information | | | | | |
|-------------------------|------------|----------|--------------------------|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| 75 | GE84 / SS | A | | | | | | |
| 79 | GE84 / SS | B | | | | | | |
| Status Information | | | | | | | | |
| Type | Status | Date | | | | | | |

| Table Of Attenuations | | | | | |
|-----------------------|-----------|-----------|-----------|-----------|-----------|
| Horizontal | | | Vertical | | |
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| | | | | | |

| Table Of Effective Antenna Heights | | | | | |
|------------------------------------|----------|-----------|----------|-----------|----------|
| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
| 0.000 | -643 | 190.000 | -1088 | | |
| 10.000 | -816 | 200.000 | -770 | | |
| 20.000 | -1113 | 210.000 | -795 | | |
| 30.000 | -1222 | 220.000 | -1478 | | |
| 40.000 | -1363 | 230.000 | -1625 | | |
| 50.000 | -1472 | 240.000 | -1355 | | |
| 60.000 | -1282 | 250.000 | -1001 | | |
| 70.000 | -1050 | 260.000 | -1055 | | |
| 80.000 | -1321 | 270.000 | -1068 | | |
| 90.000 | -1526 | 280.000 | -1031 | | |
| 100.000 | -1144 | 290.000 | -970 | | |
| 110.000 | -997 | 300.000 | -1003 | | |
| 120.000 | -1136 | 310.000 | -959 | | |
| 130.000 | -966 | 320.000 | -1056 | | |
| 140.000 | -813 | 330.000 | -664 | | |
| 150.000 | -788 | 340.000 | 19 | | |
| 160.000 | -713 | 350.000 | -202 | | |
| 170.000 | -730 | | | | |
| 180.000 | -945 | | | | |

| Administrative Data | | Emission Characteristics | |
|--------------------------------|-------------------------|------------------------------------|---|
| Source Notice Type: | IA5 | Assigned Frequency: | 99.800 [MHz] |
| Date Of Notice: | | Frequency Stability: | NORMAL |
| Date Notice Received: | 20-Sep-1989 | Class Of Emission: | F9EHF |
| Assignment ID: | 089004386 | Bandwidth: | 300.000 [kHz] |
| Notifying Admin: | AUT | Effective Radiated Power (E.R.P.): | Maximum: 14.800 [dBW] Horizontal: 14.800 [dBW] |
| ID Given By The Admin: | | | |
| Fragment: | GE84 | Azimuth Of Maximum Radiation: | 150.000 [Deg] |
| | | Transmission System: | 4 |
| Station And Site Information | | Findings Information | |
| Station Identification: | | Type | Status |
| Site Name: | S LEONHARD PZT | | Findings |
| Call Sign: | BC | | Update |
| Class Of Station: | AUT | | Source |
| Country: | I | | |
| Radiocommunication Region: | 10°48'00"E - 47°07'00"N | | |
| Geographical Coordinates: | 1500 [m] | | |
| Site Altitude Above Sea Level: | | | |
| Antenna Characteristics | | Finding Observation: | |
| Antenna Directivity: | D | Finding Reference: | |
| Polarization: | H | Finding Action: | |
| Height Above Ground Level: | 22.000 [m] | | |
| Maximum Effective Height: | 200 [m] | | |

| Publication Information | | Coordination Information | | | | | | |
|-------------------------|------------|--------------------------|-----|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| 40 | GE84 / SS | A | | | | | | |
| 45 | GE84 / SS | B | | | | | | |
| Status Information | | | | | | | | |
| Type | Status | Date | | | | | | |
| | | | | | | | | |

Table Of Attenuations

| Horizontal | | | | Vertical | | | |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| 0.000 | 15.000 | 190.000 | 4.000 | | | | |
| 10.000 | 15.000 | 200.000 | 7.000 | | | | |
| 20.000 | 15.000 | 210.000 | 9.000 | | | | |
| 30.000 | 15.000 | 220.000 | 13.000 | | | | |
| 40.000 | 15.000 | 230.000 | 15.000 | | | | |
| 50.000 | 15.000 | 240.000 | 15.000 | | | | |
| 60.000 | 15.000 | 250.000 | 15.000 | | | | |
| 70.000 | 14.000 | 260.000 | 15.000 | | | | |
| 80.000 | 13.000 | 270.000 | 15.000 | | | | |
| 90.000 | 9.000 | 280.000 | 15.000 | | | | |
| 100.000 | 7.000 | 290.000 | 15.000 | | | | |
| 110.000 | 4.000 | 300.000 | 15.000 | | | | |
| 120.000 | 2.000 | 310.000 | 15.000 | | | | |
| 130.000 | 1.000 | 320.000 | 15.000 | | | | |
| 140.000 | 0.000 | 330.000 | 15.000 | | | | |
| 150.000 | 0.000 | 340.000 | 15.000 | | | | |
| 160.000 | 0.000 | 350.000 | 15.000 | | | | |
| 170.000 | 1.000 | | | | | | |
| 180.000 | 2.000 | | | | | | |

Table Of Effective Antenna Heights

| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
|-----------|----------|-----------|----------|-----------|----------|
| 0.000 | -75 | 190.000 | -1006 | | |
| 10.000 | -155 | 200.000 | -753 | | |
| 20.000 | -235 | 210.000 | -500 | | |
| 30.000 | -315 | 220.000 | -346 | | |
| 40.000 | -375 | 230.000 | -193 | | |
| 50.000 | -435 | 240.000 | -40 | | |
| 60.000 | -495 | 250.000 | -52 | | |
| 70.000 | -463 | 260.000 | -64 | | |
| 80.000 | -431 | 270.000 | -77 | | |
| 90.000 | -400 | 280.000 | -23 | | |
| 100.000 | -528 | 290.000 | 31 | | |
| 110.000 | -656 | 300.000 | 85 | | |
| 120.000 | -785 | 310.000 | 123 | | |
| 130.000 | -651 | 320.000 | 161 | | |
| 140.000 | -518 | 330.000 | 200 | | |
| 150.000 | -385 | 340.000 | 108 | | |
| 160.000 | -676 | 350.000 | 16 | | |
| 170.000 | -968 | | | | |
| 180.000 | -1260 | | | | |

| Administrative Data | | Emission Characteristics | |
|--------------------------------|-------------------------|------------------------------------|------------------------|
| Source Notice Type: | 1A5 | Assigned Frequency: | 98.600 [MHz] |
| Date Of Notice: | | Frequency Stability: | NORMAL |
| Date Notice Received: | 07-Dec-1984 | Class Of Emission: | F8EHF |
| Assignment ID: | 084016156 | Bandwidth: | 300.000 [kHz] |
| Notifying Admin: | AUT | Effective Radiated Power (E.R.P.): | Maximum: 10.000 [dBW] |
| ID Given By The Admin: | | Azimuth Of Maximum Radiation: | Vertical: 10.000 [dBW] |
| Fragment: | GE84 | Transmission System: | 140.000 [Deg] |
| | | | 4 |
| Station And Site Information | | Findings Information | |
| Station Identification: | | Type | Source |
| Site Name: | S ANTON 2 | Status | Update |
| Call Sign: | | Finding | |
| Class Of Station: | BC | | |
| Country: | AUT | | |
| Radiocommunication Region: | 1 | | |
| Geographical Coordinates: | 10°12'00"E - 47°09'00"N | | |
| Site Altitude Above Sea Level: | 2285 [m] | | |
| Antenna Characteristics | | Finding Observation: | |
| Antenna Directivity: | D | Finding Reference: | |
| Polarization: | V | Finding Action: | |
| Height Above Ground Level: | 6.000 [m] | | |
| Maximum Effective Height: | 600 [m] | | |

| Publication Information | | | Coordination Information | | | | | |
|-------------------------|------------|----------|--------------------------|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| | | | | | | | | |
| Status Information | | | | | | | | |
| Type | Status | Date | | | | | | |
| | | | | | | | | |

Table Of Attenuations

| Horizontal | | | | Vertical | | | |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| | | 0.000 | 15.000 | 190.000 | 7.000 | | |
| | | 10.000 | 15.000 | 200.000 | 9.000 | | |
| | | 20.000 | 15.000 | 210.000 | 13.000 | | |
| | | 30.000 | 15.000 | 220.000 | 14.000 | | |
| | | 40.000 | 15.000 | 230.000 | 15.000 | | |
| | | 50.000 | 15.000 | 240.000 | 15.000 | | |
| | | 60.000 | 14.000 | 250.000 | 15.000 | | |
| | | 70.000 | 12.000 | 260.000 | 15.000 | | |
| | | 80.000 | 9.000 | 270.000 | 15.000 | | |
| | | 90.000 | 7.000 | 280.000 | 15.000 | | |
| | | 100.000 | 4.000 | 290.000 | 15.000 | | |
| | | 110.000 | 2.000 | 300.000 | 15.000 | | |
| | | 120.000 | 1.000 | 310.000 | 15.000 | | |
| | | 130.000 | 0.000 | 320.000 | 15.000 | | |
| | | 140.000 | 0.000 | 330.000 | 15.000 | | |
| | | 150.000 | 0.000 | 340.000 | 15.000 | | |
| | | 160.000 | 1.000 | 350.000 | 15.000 | | |
| | | 170.000 | 2.000 | | | | |
| | | 180.000 | 4.000 | | | | |

Table Of Effective Antenna Heights

| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
|-----------|----------|-----------|----------|-----------|----------|
| 0.000 | 0 | 190.000 | 0 | | |
| 10.000 | 0 | 200.000 | 0 | | |
| 20.000 | 0 | 210.000 | 0 | | |
| 30.000 | 0 | 220.000 | 0 | | |
| 40.000 | 0 | 230.000 | 0 | | |
| 50.000 | 0 | 240.000 | 0 | | |
| 60.000 | 0 | 250.000 | 200 | | |
| 70.000 | 0 | 260.000 | 400 | | |
| 80.000 | 0 | 270.000 | 600 | | |
| 90.000 | 0 | 280.000 | 400 | | |
| 100.000 | 0 | 290.000 | 200 | | |
| 110.000 | 0 | 300.000 | 0 | | |
| 120.000 | 0 | 310.000 | 0 | | |
| 130.000 | 0 | 320.000 | 0 | | |
| 140.000 | 0 | 330.000 | 0 | | |
| 150.000 | 0 | 340.000 | 0 | | |
| 160.000 | 0 | 350.000 | 0 | | |
| 170.000 | 0 | | | | |
| 180.000 | 0 | | | | |

| Administrative Data | | Emission Characteristics | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|--|---|--------|--------|---------|--------|--------|----------------------|--|--|--|--|--------------------|--|--|--|--|-----------------|--|--|--|--|
| Source Notice Type: | 1A5 | Assigned Frequency: | 99.600 [MHz] | | | | | | | | | | | | | | | | | | | | |
| Date Of Notice: | | Frequency Stability: | NORMAL | | | | | | | | | | | | | | | | | | | | |
| Date Notice Received: | 07-Dec-1984 | Class Of Emission: | F8EHF | | | | | | | | | | | | | | | | | | | | |
| Assignment ID: | 084016074 | Bandwidth: | 300.000 [kHz] | | | | | | | | | | | | | | | | | | | | |
| Notifying Admin: | AUT | Effective Radiated Power (E.R.P.): | Maximum: 20.000 [dBW] Horizontal: 20.000 [dBW] | | | | | | | | | | | | | | | | | | | | |
| ID Given By The Admin: | | Azimuth Of Maximum Radiation: | 4 | | | | | | | | | | | | | | | | | | | | |
| Fragment: | GE84 | Transmission System: | | | | | | | | | | | | | | | | | | | | | |
| <p style="text-align: center;">Station And Site Information</p> Station Identification: PRUTZ Site Name: PRUTZ Call Sign: BC Class Of Station: AUT Country: I Radiocommunication Region: 10°41'00"E - 47°04'00"N Geographical Coordinates: 1610 [m] Site Altitude Above Sea Level: 1610 [m] | | <p style="text-align: center;">Findings Information</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Status</th> <th>Finding</th> <th>Update</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td>Finding Observation:</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Finding Reference:</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Finding Action:</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | Type | Status | Finding | Update | Source | Finding Observation: | | | | | Finding Reference: | | | | | Finding Action: | | | | |
| Type | Status | Finding | Update | Source | | | | | | | | | | | | | | | | | | | |
| Finding Observation: | | | | | | | | | | | | | | | | | | | | | | | |
| Finding Reference: | | | | | | | | | | | | | | | | | | | | | | | |
| Finding Action: | | | | | | | | | | | | | | | | | | | | | | | |
| <p style="text-align: center;">Antenna Characteristics</p> Antenna Directivity: ND Polarization: H Height Above Ground Level: 14.000 [m] Maximum Effective Height: 425 [m] | | | | | | | | | | | | | | | | | | | | | | | |

| Publication Information | | | Coordination Information | | | | | |
|-------------------------|------------|----------|--------------------------|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| | | | | | | | | |
| Status Information | | | | | | | | |
| Type | Status | Date | | | | | | |
| | | | | | | | | |

Table Of Attenuations

| Horizontal | | | | Vertical | | | |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| | | | | | | | |

Table Of Effective Antenna Heights

| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
|-----------|----------|-----------|----------|-----------|----------|
| 0.000 | 0 | 190.000 | 0 | | |
| 10.000 | 0 | 200.000 | 0 | | |
| 20.000 | 0 | 210.000 | 0 | | |
| 30.000 | 0 | 220.000 | 200 | | |
| 40.000 | 0 | 230.000 | 400 | | |
| 50.000 | 0 | 240.000 | 0 | | |
| 60.000 | 0 | 250.000 | 0 | | |
| 70.000 | 0 | 260.000 | 0 | | |
| 80.000 | 0 | 270.000 | 0 | | |
| 90.000 | 0 | 280.000 | 0 | | |
| 100.000 | 0 | 290.000 | 0 | | |
| 110.000 | 0 | 300.000 | 0 | | |
| 120.000 | 0 | 310.000 | 275 | | |
| 130.000 | 0 | 320.000 | 425 | | |
| 140.000 | 0 | 330.000 | 400 | | |
| 150.000 | 0 | 340.000 | 350 | | |
| 160.000 | 0 | 350.000 | 200 | | |
| 170.000 | 0 | | | | |
| 180.000 | 0 | | | | |

| Administrative Data | Emission Characteristics |
|--|---|
| <p>Source Notice Type: IAS</p> <p>Date Of Notice: 07-Dec-1984</p> <p>Date Notice Received: 084016038</p> <p>Assignment ID: AUT</p> <p>Notifying Admin: GE84</p> <p>ID Given By The Admin:</p> <p>Fragment:</p> | <p>Assigned Frequency: 87.600 [MHz]</p> <p>Frequency Stability: NORMAL</p> <p>Class Of Emission: F8EHF</p> <p>Bandwidth: 300.000 [kHz]</p> <p>Effective Radiated Power (E.R.P.): Maximum: 20.000 [dBW] Horizontal: 20.000 [dBW]</p> <p>Azimuth Of Maximum Radiation: 60.000 [Deg]</p> <p>Transmission System: 4</p> |
| Station And Site Information | |
| <p>Station Identification: PFUNDS</p> <p>Site Name: BC</p> <p>Call Sign: AUT</p> <p>Class Of Station: 1</p> <p>Country: 10°30'00"E - 46°57'00"N</p> <p>Radiocommunication Region: 1480 [m]</p> <p>Geographical Coordinates: 1480 [m]</p> <p>Site Altitude Above Sea Level:</p> | |
| Antenna Characteristics | |
| <p>Antenna Directivity: D</p> <p>Polarization: H</p> <p>Height Above Ground Level: 17.000 [m]</p> <p>Maximum Effective Height: 300 [m]</p> | |
| Findings Information | |
| <p>Type</p> <p>Status</p> <p>Finding</p> <p>Update</p> <p>Source</p> | <p>Finding Observation:</p> <p>Finding Reference:</p> <p>Finding Action:</p> |

Table Of Attenuations

| Horizontal | | | | Vertical | | | |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| 0.000 | 9.000 | 190.000 | 0.000 | | | | |
| 10.000 | 7.000 | 200.000 | 1.000 | | | | |
| 20.000 | 4.000 | 210.000 | 3.000 | | | | |
| 30.000 | 2.000 | 220.000 | 5.000 | | | | |
| 40.000 | 1.000 | 230.000 | 8.000 | | | | |
| 50.000 | 0.000 | 240.000 | 11.000 | | | | |
| 60.000 | 0.000 | 250.000 | 14.000 | | | | |
| 70.000 | 0.000 | 260.000 | 15.000 | | | | |
| 80.000 | 1.000 | 270.000 | 15.000 | | | | |
| 90.000 | 2.000 | 280.000 | 15.000 | | | | |
| 100.000 | 4.000 | 290.000 | 15.000 | | | | |
| 110.000 | 3.000 | 300.000 | 15.000 | | | | |
| 120.000 | 3.000 | 310.000 | 15.000 | | | | |
| 130.000 | 4.000 | 320.000 | 15.000 | | | | |
| 140.000 | 4.000 | 330.000 | 15.000 | | | | |
| 150.000 | 3.000 | 340.000 | 14.000 | | | | |
| 160.000 | 1.000 | 350.000 | 13.000 | | | | |
| 170.000 | 0.000 | | | | | | |
| 180.000 | 0.000 | | | | | | |

Table Of Effective Antenna Heights

| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
|-----------|----------|-----------|----------|-----------|----------|
| 0.000 | 0 | 190.000 | 0 | | |
| 10.000 | 0 | 200.000 | 0 | | |
| 20.000 | 0 | 210.000 | 0 | | |
| 30.000 | 0 | 220.000 | 0 | | |
| 40.000 | 100 | 230.000 | 0 | | |
| 50.000 | 200 | 240.000 | 0 | | |
| 60.000 | 300 | 250.000 | 0 | | |
| 70.000 | 200 | 260.000 | 0 | | |
| 80.000 | 100 | 270.000 | 0 | | |
| 90.000 | 0 | 280.000 | 0 | | |
| 100.000 | 0 | 290.000 | 0 | | |
| 110.000 | 0 | 300.000 | 0 | | |
| 120.000 | 0 | 310.000 | 0 | | |
| 130.000 | 0 | 320.000 | 0 | | |
| 140.000 | 0 | 330.000 | 0 | | |
| 150.000 | 0 | 340.000 | 0 | | |
| 160.000 | 0 | 350.000 | 0 | | |
| 170.000 | 0 | | | | |
| 180.000 | 0 | | | | |

| Administrative Data | Emission Characteristics |
|---|--|
| Source Notice Type: 1A5 Date Of Notice: 13-Dec-1993 Date Notice Received: 093005396 Assignment ID: AUT Notifying Admin: ID Given By The Admin: Fragment: GE84 | Assigned Frequency: 92.700 [MHz] Frequency Stability: NORMAL Class Of Emission: F9EHF Bandwidth: 300.000 [kHz] Effective Radiated Power (E.R.P.): Maximum: 10.000 [dBW] Horizontal: 10.000 [dBW] Azimuth Of Maximum Radiation: 35.000 [deg] Transmission System: 4 |
| Station And Site Information | |
| Station Identification: Site Name: PAZNAUN 1 Call Sign: BC Class Of Station: AUT Country: 1 Radiocommunication Region: 10°28'00"E - 47°05'00"N Geographical Coordinates: 1080 [m] Site Altitude Above Sea Level: | |
| Antenna Characteristics | |
| Antenna Directivity: D Polarization: H Height Above Ground Level: 20.000 [m] Maximum Effective Height: -94 [m] | |
| Findings Information | |
| Type Status Finding Update Source | |
| Finding Observation: Finding Reference: Finding Action: | |

| Publication Information | | | Coordination Information | | | | | |
|-------------------------|------------|----------|--------------------------|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| 75 | GE84 / SS | A | | | | | | |
| 79 | GE84 / SS | B | | | | | | |

| Status Information | |
|--------------------|------|
| Type | Date |
| | |

Table Of Attenuations

| Horizontal | | | | Vertical | | | |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| 0.000 | 3.000 | 190.000 | 15.000 | | | | |
| 10.000 | 1.000 | 200.000 | 15.000 | | | | |
| 20.000 | 0.000 | 210.000 | 15.000 | | | | |
| 30.000 | 0.000 | 220.000 | 15.000 | | | | |
| 40.000 | 0.000 | 230.000 | 15.000 | | | | |
| 50.000 | 0.000 | 240.000 | 15.000 | | | | |
| 60.000 | 1.000 | 250.000 | 15.000 | | | | |
| 70.000 | 3.000 | 260.000 | 15.000 | | | | |
| 80.000 | 6.000 | 270.000 | 15.000 | | | | |
| 90.000 | 10.000 | 280.000 | 15.000 | | | | |
| 100.000 | 14.000 | 290.000 | 15.000 | | | | |
| 110.000 | 15.000 | 300.000 | 15.000 | | | | |
| 120.000 | 15.000 | 310.000 | 15.000 | | | | |
| 130.000 | 15.000 | 320.000 | 15.000 | | | | |
| 140.000 | 15.000 | 330.000 | 14.000 | | | | |
| 150.000 | 15.000 | 340.000 | 10.000 | | | | |
| 160.000 | 15.000 | 350.000 | 6.000 | | | | |
| 170.000 | 15.000 | | | | | | |
| 180.000 | 15.000 | | | | | | |

Table Of Effective Antenna Heights

| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
|-----------|----------|-----------|----------|
| 0.000 | -764 | 190.000 | -1097 |
| 10.000 | -799 | 200.000 | -1129 |
| 20.000 | -572 | 210.000 | -1296 |
| 30.000 | -448 | 220.000 | -1246 |
| 40.000 | -145 | 230.000 | -1069 |
| 50.000 | -94 | 240.000 | -451 |
| 60.000 | -593 | 250.000 | -531 |
| 70.000 | -591 | 260.000 | -833 |
| 80.000 | -760 | 270.000 | -1100 |
| 90.000 | -934 | 280.000 | -1219 |
| 100.000 | -826 | 290.000 | -1136 |
| 110.000 | -863 | 300.000 | -879 |
| 120.000 | -815 | 310.000 | -781 |
| 130.000 | -768 | 320.000 | -663 |
| 140.000 | -991 | 330.000 | -744 |
| 150.000 | -1002 | 340.000 | -742 |
| 160.000 | -851 | 350.000 | -907 |
| 170.000 | -1090 | | |
| 180.000 | -1365 | | |

| Administrative Data | Emission Characteristics | | | | | | | | | | |
|---|--|---------|--------|---------|--------|--------|--|--|--|--|--|
| <p>Source Notice Type: 1A5</p> <p>Date Of Notice: 07-Dec-1984</p> <p>Date Notice Received: 084016025</p> <p>Assignment ID: AUT</p> <p>Notifying Admin: GE84</p> <p>ID Given By The Admin:</p> <p>Fragment:</p> | <p>Assigned Frequency: 87.700 [MHz]</p> <p>Frequency Stability: NORMAL</p> <p>Class Of Emission: F8EHF</p> <p>Bandwidth: 300.000 [kHz]</p> <p>Effective Radiated Power (E.R.P.): Maximum: 34.800 [dBW] Horizontal: 34.800 [dBW]</p> <p>Azimuth Of Maximum Radiation: 160.000 [Deg]</p> <p>Transmission System: 4</p> | | | | | | | | | | |
| Station And Site Information | | | | | | | | | | | |
| <p>Station Identification:</p> <p>Site Name: OETZ</p> <p>Call Sign: BC</p> <p>Class Of Station: AUT</p> <p>Country: 1</p> <p>Radiocommunication Region: 10°54'00"E - 47°13'00"N</p> <p>Geographical Coordinates: 1250 [m]</p> <p>Site Altitude Above Sea Level:</p> | | | | | | | | | | | |
| Antenna Characteristics | | | | | | | | | | | |
| <p>Antenna Directivity: D</p> <p>Polarization: H</p> <p>Height Above Ground Level: 41.000 [m]</p> <p>Maximum Effective Height: 500 [m]</p> | | | | | | | | | | | |
| Findings Information | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Type</th> <th>Status</th> <th>Finding</th> <th>Update</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> | | Type | Status | Finding | Update | Source | | | | | |
| Type | Status | Finding | Update | Source | | | | | | | |
| | | | | | | | | | | | |
| <p>Finding Observation:</p> | | | | | | | | | | | |
| <p>Finding Reference:</p> | | | | | | | | | | | |
| <p>Finding Action:</p> | | | | | | | | | | | |

| Publication Information | | Coordination Information | | | | | | |
|-------------------------|------------|--------------------------|-----|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| | | | | | | | | |
| Status Information | | | | | | | | |
| Type | Status | Date | | | | | | |

Table Of Attenuations

| Horizontal | | | | Vertical | | | |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| 0.000 | 15.000 | 190.000 | 2.000 | | | | |
| 10.000 | 15.000 | 200.000 | 4.000 | | | | |
| 20.000 | 15.000 | 210.000 | 5.000 | | | | |
| 30.000 | 15.000 | 220.000 | 5.000 | | | | |
| 40.000 | 15.000 | 230.000 | 4.000 | | | | |
| 50.000 | 15.000 | 240.000 | 2.000 | | | | |
| 60.000 | 15.000 | 250.000 | 1.000 | | | | |
| 70.000 | 15.000 | 260.000 | 0.000 | | | | |
| 80.000 | 14.000 | 270.000 | 0.000 | | | | |
| 90.000 | 13.000 | 280.000 | 0.000 | | | | |
| 100.000 | 9.000 | 290.000 | 1.000 | | | | |
| 110.000 | 7.000 | 300.000 | 2.000 | | | | |
| 120.000 | 4.000 | 310.000 | 4.000 | | | | |
| 130.000 | 2.000 | 320.000 | 7.000 | | | | |
| 140.000 | 1.000 | 330.000 | 9.000 | | | | |
| 150.000 | 0.000 | 340.000 | 13.000 | | | | |
| 160.000 | 0.000 | 350.000 | 14.000 | | | | |
| 170.000 | 0.000 | | | | | | |
| 180.000 | 1.000 | | | | | | |

Table Of Effective Antenna Heights

| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
|-----------|----------|-----------|----------|-----------|----------|
| 0.000 | 37 | 190.000 | 0 | | |
| 10.000 | 0 | 200.000 | 0 | | |
| 20.000 | 200 | 210.000 | 0 | | |
| 30.000 | 350 | 220.000 | 0 | | |
| 40.000 | 300 | 230.000 | 0 | | |
| 50.000 | 37 | 240.000 | 0 | | |
| 60.000 | 0 | 250.000 | 37 | | |
| 70.000 | 0 | 260.000 | 125 | | |
| 80.000 | 0 | 270.000 | 500 | | |
| 90.000 | 0 | 280.000 | 350 | | |
| 100.000 | 0 | 290.000 | 100 | | |
| 110.000 | 0 | 300.000 | 125 | | |
| 120.000 | 0 | 310.000 | 75 | | |
| 130.000 | 0 | 320.000 | 0 | | |
| 140.000 | 0 | 330.000 | 50 | | |
| 150.000 | 0 | 340.000 | 250 | | |
| 160.000 | 200 | 350.000 | 0 | | |
| 170.000 | 0 | | | | |
| 180.000 | 0 | | | | |

| Administrative Data | | Emission Characteristics | |
|--------------------------------|-------------------------|------------------------------------|---|
| Source Notice Type: | IA5 | Assigned Frequency: | 105.600 [MHz] |
| Date Of Notice: | 07-Dec-1984 | Frequency Stability: | NORMAL |
| Date Notice Received: | 084015976 | Class Of Emission: | F8EHF |
| Assignment ID: | AUT | Bandwidth: | 300.000 [kHz] |
| Notifying Admin: | | Effective Radiated Power (E.R.P.): | Maximum: 14.800 [dBW] Horizontal: 14.800 [dBW] |
| ID Given By The Admin: | | | |
| Fragment: | GE84 | Azimuth Of Maximum Radiation: | 4 |
| | | Transmission System: | |
| Station And Site Information | | Findings Information | |
| Station Identification: | NAUDERS | Type | Status |
| Site Name: | | | Findings |
| Call Sign: | BC | | Update |
| Class Of Station: | AUT | | Source |
| Country: | | | |
| Radiocommunication Region: | 1 | | |
| Geographical Coordinates: | 10°30'00"E - 46°53'00"N | | |
| Site Altitude Above Sea Level: | 1832 [m] | | |
| Antenna Characteristics | | | |
| Antenna Directivity: | ND | | |
| Polarization: | H | | |
| Height Above Ground Level: | 11.000 [m] | | |
| Maximum Effective Height: | 650 [m] | | |
| | | Findings Observation: | |
| | | Findings Reference: | |
| | | Findings Action: | |

| Administrative Data | | Emission Characteristics | |
|--------------------------------|-------------------------|------------------------------------|-----------------------|
| Source Notice Type: | IA5 | Assigned Frequency: | 100.500 [MHz] |
| Date Of Notice: | | Frequency Stability: | NORMAL |
| Date Notice Received: | 01-Mar-1989 | Class Of Emission: | F8E:HF |
| Assignment ID: | 089004459 | Bandwidth: | 300.000 [kHz] |
| Notifying Admin: | AUT | Effective Radiated Power (E.R.P.): | Maximum: 13.000 [dBW] |
| ID Given By The Admin: | | Vertical: | 13.000 [dBW] |
| Fragment: | GE84 | Azimuth Of Maximum Radiation: | |
| | | Transmission System: | 4 |
| Station And Site Information | | Findings Information | |
| Station Identification: | | Type | Status |
| Site Name: | LAENGENFELD | | Findings |
| Call Sign: | BC | | Update |
| Class Of Station: | AUT | | Source |
| Country: | | | |
| Radiocommunication Region: | 1 | | |
| Geographical Coordinates: | 10°58'00"E - 47°04'00"N | | |
| Site Altitude Above Sea Level: | 1420 [m] | | |
| Antenna Characteristics | | Finding Observation: | |
| Antenna Directivity: | ND | Finding Reference: | |
| Polarization: | V | Finding Action: | |
| Height Above Ground Level: | 25.000 [m] | | |
| Maximum Effective Height: | 350 [m] | | |

| Publication Information | | Coordination Information | | | | | | |
|-------------------------|------------|--------------------------|-----|-----------|--------|--------|------|-------------|
| Pub No | Pub Prefix | Pub Part | Adm | Provision | Status | Source | Date | Decl Affect |
| 36 | GE84 / SS | A | | | | | | |
| 44 | GE84 / SS | B | | | | | | |
| Status Information | | | | | | | | |
| Type | Status | | | | | | | |
| | | | | | | | | |

| Table Of Attenuations | | | | | |
|-----------------------|-----------|-----------|-----------|-----------|-----------|
| Horizontal | | | Vertical | | |
| Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] | Azm [Deg] | Attn [dB] |
| | | | | | |

| Table Of Effective Antenna Heights | | | | | |
|------------------------------------|----------|-----------|----------|-----------|----------|
| Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] | Azm [Deg] | Hght [m] |
| 0.000 | -650 | 190.000 | -1116 | | |
| 10.000 | -816 | 200.000 | -1133 | | |
| 20.000 | -983 | 210.000 | -1150 | | |
| 30.000 | -1150 | 220.000 | -1116 | | |
| 40.000 | -1100 | 230.000 | -1083 | | |
| 50.000 | -1050 | 240.000 | -1050 | | |
| 60.000 | -1000 | 250.000 | -966 | | |
| 70.000 | -1066 | 260.000 | -883 | | |
| 80.000 | -1133 | 270.000 | -800 | | |
| 90.000 | -1200 | 280.000 | -833 | | |
| 100.000 | -1300 | 290.000 | -866 | | |
| 110.000 | -1400 | 300.000 | -900 | | |
| 120.000 | -1500 | 310.000 | -483 | | |
| 130.000 | -1141 | 320.000 | -66 | | |
| 140.000 | -783 | 330.000 | 350 | | |
| 150.000 | -425 | 340.000 | 16 | | |
| 160.000 | -650 | 350.000 | -316 | | |
| 170.000 | -875 | | | | |
| 180.000 | -1100 | | | | |