

Beilage 2 zu KOA 1.216/01-10

Technische Anlageblätter

Administrative Data	Emission Characteristics										
<p>Source Notice Type: 1A5</p> <p>Date Of Notice: 27-Feb-1989</p> <p>Date Notice Received: 084016471</p> <p>Assignment ID: AUT</p> <p>Notifying Admin: GE84</p> <p>ID Given By The Admin:</p> <p>Fragment:</p>	<p>Assigned Frequency: 106.600 [MHz]</p> <p>Frequency Stability: NORMAL</p> <p>Class Of Emission: F8EHF</p> <p>Bandwidth: 300.000 [kHz]</p> <p>Effective Radiated Power (E.R.P): Maximum: 14.800 [dBW] Horizontal: 14.800 [dBW]</p> <p>Azimuth Of Maximum Radiation: 350.000 [Deg]</p> <p>Transmission System: 4</p>										
Station And Site Information	Findings Information										
<p>Station Identification: ZELL PFARRE 1</p> <p>Site Name: BC</p> <p>Call Sign: AUT</p> <p>Class Of Station: 1</p> <p>Country: 14°22'00"E ; 46°28'00"N</p> <p>Radiocommunication Region: 1000 [m]</p> <p>Geographical Coordinates: 1000 [m]</p> <p>Site Altitude Above Sea Level:</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:25%;">Type</th> <th style="width:25%;">Status</th> <th style="width:25%;">Finding</th> <th style="width:25%;">Update</th> <th style="width:25%;">Source</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> <p>Finding Observation:</p> <p>Finding Reference:</p> <p>Finding Action:</p>	Type	Status	Finding	Update	Source					
Type	Status	Finding	Update	Source							
Antenna Characteristics											
<p>Antenna Directivity: D</p> <p>Polarization: H</p> <p>Height Above Ground Level: 26.000 [m]</p> <p>Maximum Effective Height: 325 [m]</p>											

Publication Information			Coordination Information					
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date	Decl Affect
35	GE84 / SS	A						
39	GF84 / SS	B						

Status Information	
Type	Date

Table Of Attenuations

Horizontal				Vertical			
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]
0.000	0.000	190.000	11.000				
10.000	0.000	200.000	8.000				
20.000	0.000	210.000	6.000				
30.000	0.000	220.000	3.000				
40.000	0.000	230.000	2.000				
50.000	0.000	240.000	1.000				
60.000	0.000	250.000	0.000				
70.000	0.000	260.000	0.000				
80.000	0.000	270.000	0.000				
90.000	0.000	280.000	0.000				
100.000	1.000	290.000	0.000				
110.000	2.000	300.000	0.000				
120.000	3.000	310.000	0.000				
130.000	6.000	320.000	0.000				
140.000	8.000	330.000	0.000				
150.000	11.000	340.000	0.000				
160.000	14.000	350.000	0.000				
170.000	15.000						
180.000	14.000						

Table Of Effective Antenna Heights

Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	325	190.000	0		
10.000	259	200.000	0		
20.000	192	210.000	0		
30.000	125	220.000	0		
40.000	84	230.000	0		
50.000	42	240.000	0		
60.000	0	250.000	0		
70.000	0	260.000	0		
80.000	0	270.000	0		
90.000	0	280.000	0		
100.000	0	290.000	0		
110.000	0	300.000	0		
120.000	0	310.000	108		
130.000	0	320.000	216		
140.000	0	330.000	325		
150.000	0	340.000	325		
160.000	0	350.000	325		
170.000	0				
180.000	0				

Administrative Data		Emission Characteristics	
Source Notice Type:	1A5	Assigned Frequency:	105.800 [MHz]
Date Of Notice:	03-Mar-1989	Frequency Stability:	NORMAL
Date Notice Received:	089004514	Class Of Emission:	F8EHF
Assignment ID:	AUT	Bandwidth:	300.000 [kHz]
Notifying Admin:		Effective Radiated Power (E.R.P.):	Maximum: 13.000 [dBW] Horizontal: 13.000 [dBW]
ID Given By The Admin:		Azimuth Of Maximum Radiation:	4
Fragment:	GE84	Transmission System:	
Station And Site Information		Findings Information	
Station Identification:	WINDISCHBLBG 2	Type	Status
Site Name:			Findings
Call Sign:	BC		Update
Class Of Station:	AUT		Source
Country:	1		
Radiocommunication Region:	14°14'00"E - 46°29'00"N		
Geographical Coordinates:	1080 [m]		
Site Altitude Above Sea Level:			
Antenna Characteristics			
Antenna Directivity:	ND		
Polarization:	H		
Height Above Ground Level:	25.000 [m]		
Maximum Effective Height:	500 [m]		
Finding Observation:			
Finding Reference:			
Finding Action:			

Publication Information		Coordination Information						
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date	Decl Affect
36	GE84 / SS	A						
44	GE84 / SS	B						
Status Information								
Type	Status	Date						

Table Of Attenuations					
Horizontal			Vertical		
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]

Table Of Effective Antenna Heights					
Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	500	190.000	-33		
10.000	492	200.000	8		
20.000	484	210.000	50		
30.000	475	220.000	0		
40.000	483	230.000	-50		
50.000	491	240.000	-100		
60.000	500	250.000	-125		
70.000	291	260.000	-150		
80.000	83	270.000	-175		
90.000	-125	280.000	50		
100.000	-158	290.000	275		
110.000	-191	300.000	500		
120.000	-225	310.000	492		
130.000	-125	320.000	484		
140.000	-25	330.000	475		
150.000	75	340.000	483		
160.000	25	350.000	491		
170.000	-25				
180.000	-75				

Administrative Data	Emission Characteristics										
<p>Source Notice Type: 1A5</p> <p>Date Of Notice: 27-Feb-1989</p> <p>Date Notice Received: 084016430</p> <p>Assignment ID: AUT</p> <p>Notifying Admin: GE84</p> <p>ID Given By The Admin:</p> <p>Fragment:</p>	<p>Assigned Frequency: 107.500 [MHz]</p> <p>Frequency Stability: NORMAL</p> <p>Class Of Emission: F8EHF</p> <p>Bandwidth: 300.000 [kHz]</p> <p>Effective Radiated Power (E.R.P.): Maximum: 14.800 [dBW] Horizontal: 14.800 [dBW]</p> <p>Azimuth Of Maximum Radiation: 4</p> <p>Transmission System:</p>										
Station And Site Information	Findings Information										
<p>Station Identification: WINDISCHBLEBG 1</p> <p>Site Name: BC</p> <p>Call Sign: AUT</p> <p>Class Of Station: 1</p> <p>Country: 14°16'00"E - 46°29'00"N</p> <p>Radiocommunication Region: 1003 [m]</p> <p>Geographical Coordinates:</p> <p>Site Altitude Above Sea Level:</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>Status</th> <th>Finding</th> <th>Update</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> <p>Finding Observation:</p> <p>Finding Reference:</p> <p>Finding Action:</p>	Type	Status	Finding	Update	Source					
Type	Status	Finding	Update	Source							
Antenna Characteristics											
<p>Antenna Directivity: ND</p> <p>Polarization: H</p> <p>Height Above Ground Level: 20.000 [m]</p> <p>Maximum Effective Height: 420 [m]</p>											

Publication Information		Coordination Information						
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date	Decl Affect
35	GE84 / SS	A						
39	GE84 / SS	B						

Status Information	
Type	Date

Table Of Attenuations					
Horizontal			Vertical		
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]

Table Of Effective Antenna Heights					
Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	420	190.000	-100		
10.000	420	200.000	-100		
20.000	420	210.000	-100		
30.000	420	220.000	-133		
40.000	380	230.000	-166		
50.000	340	240.000	-200		
60.000	300	250.000	-175		
70.000	166	260.000	-150		
80.000	33	270.000	-125		
90.000	-100	280.000	-83		
100.000	-133	290.000	-41		
110.000	-166	300.000	0		
120.000	-200	310.000	133		
130.000	-216	320.000	266		
140.000	-233	330.000	400		
150.000	-250	340.000	406		
160.000	-200	350.000	413		
170.000	-150				
180.000	-100				

Administrative Data		Emission Characteristics	
Source Notice Type:	1A5	Assigned Frequency:	107.600 [MHz]
Date Of Notice:		Frequency Stability:	NORMAL
Date Notice Received:	21-Sep-1987	Class Of Emission:	F8EHF
Assignment ID:	084016351	Bandwidth:	300.000 [kHz]
Notifying Admin:	AUT	Effective Radiated Power (E.R.P.):	Maximum: 27.000 [dBW] Horizontal: 27.000 [dBW]
ID Given By The Admin:		Azimuth Of Maximum Radiation:	345.000 [Deg]
Fragment:	GE84	Transmission System:	4
Station And Site Information		Findings Information	
Station Identification:	VILLACH	Type	Status
Site Name:			Findings
Call Sign:	RC		Update
Class Of Station:	AUT		Source
Country:			
Radiocommunication Region:	1		
Geographical Coordinates:	13°56'00"E - 46°33'00"N		
Site Altitude Above Sea Level:	928 [m]		
Antenna Characteristics		Finding Observation:	
Antenna Directivity:	D	Finding Reference:	
Polarization:	H	Finding Action:	
Height Above Ground Level:	40.000 [m]		
Maximum Effective Height:	400 [m]		

Publication Information			Coordination Information					
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date	Decl Affect
27	GE84 / SS	B						
Status Information								
Type	Status	Date						

Table Of Attenuations

Horizontal				Vertical			
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]
0.000	0.000	190.000	14.000				
10.000	0.000	200.000	13.000				
20.000	1.000	210.000	10.000				
30.000	2.000	220.000	7.000				
40.000	4.000	230.000	5.000				
50.000	5.000	240.000	3.000				
60.000	8.000	250.000	1.000				
70.000	11.000	260.000	0.000				
80.000	14.000	270.000	0.000				
90.000	15.000	280.000	1.000				
100.000	15.000	290.000	3.000				
110.000	15.000	300.000	2.000				
120.000	15.000	310.000	1.000				
130.000	15.000	320.000	0.000				
140.000	15.000	330.000	0.000				
150.000	15.000	340.000	0.000				
160.000	15.000	350.000	0.000				
170.000	15.000						
180.000	15.000						

Table Of Effective Antenna Heights

Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	350	190.000	0		
10.000	350	200.000	0		
20.000	250	210.000	0		
30.000	300	220.000	0		
40.000	375	230.000	0		
50.000	400	240.000	0		
60.000	400	250.000	0		
70.000	400	260.000	0		
80.000	350	270.000	0		
90.000	400	280.000	375		
100.000	0	290.000	125		
110.000	0	300.000	275		
120.000	0	310.000	375		
130.000	0	320.000	400		
140.000	0	330.000	325		
150.000	0	340.000	400		
160.000	0	350.000	300		
170.000	0				
180.000	0				

Administrative Data		Emission Characteristics	
Source Notice Type:	IA5	Assigned Frequency:	98.800 [MHz]
Date Of Notice:		Frequency Stability:	NORMAL
Date Notice Received:	07-Dec-1984	Class Of Emission:	F8EHF
Assignment ID:	084016342	Bandwidth:	300.000 [kHz]
Notifying Admin:	AUT	Effective Radiated Power (E.R.P.):	Maximum: 24.800 [dBw] Horizontal: 24.800 [dBw]
ID Given By The Admin:			
Fragment:	GE94	Azimuth Of Maximum Radiation:	350.000 [Deg]
		Transmission System:	4
Station And Site Information		Findings Information	
Station Identification:	VIKTRING	Type	Status
Site Name:			Findings
Call Sign:	BC		Update
Class Of Station:	AUT		Source
Country:	1		
Radiocommunication Region:	14°18'00"E - 46°35'00"N		
Geographical Coordinates:	720 [m]		
Site Altitude Above Sea Level:			
Antenna Characteristics		Finding Observation:	
Antenna Directivity:	D	Finding Reference:	
Polarization:	H	Finding Action:	
Height Above Ground Level:	30.000 [m]		
Maximum Effective Height:	250 [m]		

Table Of Attenuations					
Horizontal			Vertical		
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]
0.000	0.000	190.000	0.000		
10.000	1.000	200.000	0.000		
20.000	1.000	210.000	0.000		
30.000	0.000	220.000	1.000		
40.000	0.000	230.000	1.000		
50.000	0.000	240.000	0.000		
60.000	1.000	250.000	0.000		
70.000	3.000	260.000	0.000		
80.000	5.000	270.000	1.000		
90.000	8.000	280.000	1.000		
100.000	11.000	290.000	0.000		
110.000	14.000	300.000	0.000		
120.000	14.000	310.000	0.000		
130.000	14.000	320.000	1.000		
140.000	11.000	330.000	1.000		
150.000	8.000	340.000	0.000		
160.000	5.000	350.000	0.000		
170.000	3.000				
180.000	1.000				

Table Of Effective Antenna Heights					
Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	175	190.000	0		
10.000	191	200.000	0		
20.000	208	210.000	0		
30.000	225	220.000	75		
40.000	233	230.000	150		
50.000	241	240.000	225		
60.000	250	250.000	175		
70.000	175	260.000	125		
80.000	100	270.000	75		
90.000	25	280.000	116		
100.000	17	290.000	158		
110.000	9	300.000	200		
120.000	0	310.000	200		
130.000	0	320.000	200		
140.000	0	330.000	200		
150.000	0	340.000	192		
160.000	0	350.000	184		
170.000	.0				
180.000	.0				

Administrative Data	Emission Characteristics
<p>Source Notice Type: IA5</p> <p>Date Of Notice: 13-Dec-1993</p> <p>Date Notice Received: 093005404</p> <p>Assignment ID: AUT</p> <p>Notifying Admin: GF84</p> <p>ID Given By The Admin:</p> <p>Fragment:</p>	<p>Assigned Frequency: 100.900 [MHz]</p> <p>Frequency Stability: NORMAL</p> <p>Class Of Emission: F9EHF</p> <p>Bandwidth: 300.000 [kHz]</p> <p>Effective Radiated Power (E.R.P.): Maximum: 10.000 [dBW]</p> <p>Horizontal: 10.000 [dBW]</p> <p>Azimuth Of Maximum Radiation: 4</p> <p>Transmission System:</p>
Station And Site Information	
<p>Station Identification: NOETSCH</p> <p>Site Name: BC</p> <p>Call Sign: AUT</p> <p>Class Of Station: I</p> <p>Country: 13°36'00"E - 46°34'00"N</p> <p>Radiocommunication Region: 640 [m]</p> <p>Geographical Coordinates:</p> <p>Site Altitude Above Sea Level:</p>	
Antenna Characteristics	
<p>Antenna Directivity: ND</p> <p>Polarization: H</p> <p>Height Above Ground Level: 30.000 [m]</p> <p>Maximum Effective Height: 139 [m]</p>	
Findings Information	
<p>Type</p> <p>Status</p> <p>Finding</p> <p>Update</p> <p>Source</p> <p>Finding Observation:</p> <p>Finding Reference:</p> <p>Finding Action:</p>	

Publication Information			Coordination Information					
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date	Decl Affect
75	GE84 / SS	A						
79	GE84 / SS	B						
Status Information								
Type	Status	Date						

Table Of Attenuations

Horizontal				Vertical			
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]

Table Of Effective Antenna Heights

Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	-393	190.000	-442		
10.000	-256	200.000	-575		
20.000	-220	210.000	-565		
30.000	-246	220.000	-458		
40.000	-317	230.000	-438		
50.000	-434	240.000	-486		
60.000	-484	250.000	-648		
70.000	-445	260.000	-838		
80.000	-223	270.000	-848		
90.000	139	280.000	-361		
100.000	94	290.000	52		
110.000	-144	300.000	85		
120.000	-287	310.000	-234		
130.000	-285	320.000	-377		
140.000	-326	330.000	-415		
150.000	-383	340.000	-433		
160.000	-398	350.000	-464		
170.000	-478				
180.000	-564				

Administrative Data		Emission Characteristics	
Source Notice Type:	1A5	Assigned Frequency:	100.000 [MHz]
Date Of Notice:	21-Sep-1987	Frequency Stability:	NORMAL
Date Notice Received:	084015564	Class Of Emission:	F8EHF
Assignment ID:	AUT	Bandwidth:	300.000 [kHz]
Notifying Admin:		Effective Radiated Power (E.R.P.):	Maximum: 14.800 [dBW]
ID Given By The Admin:		Vertical:	14.800 [dBW]
Fragment:	GE84	Azimuth Of Maximum Radiation:	
		Transmission System:	4
Station And Site Information		Findings Information	
Station Identification:	EISENKAPPEL 1	Type	Source
Site Name:		Status	Update
Call Sign:	BC	Findings	
Class Of Station:	AUT		
Country:	1		
Radiocommunication Region:	14°36'00"E - 46°30'00"N		
Geographical Coordinates:	850 [m]		
Site Altitude Above Sea Level:			
Antenna Characteristics		Finding Observation:	
Antenna Directivity:	ND	Finding Reference:	
Polarization:	V	Finding Action:	
Height Above Ground Level:	20.000 [m]		
Maximum Effective Height:	300 [m]		

Publication Information		Coordination Information					Decl Affect
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date
27	GE84 / SS	B					

Status Information	
Type	Date

Table Of Attenuations

Horizontal				Vertical			
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]

Table Of Effective Antenna Heights

Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	300	190.000	0
10.000	284	200.000	0
20.000	267	210.000	0
30.000	250	220.000	0
40.000	175	230.000	0
50.000	100	240.000	0
60.000	25	250.000	0
70.000	17	260.000	0
80.000	9	270.000	0
90.000	0	280.000	16
100.000	0	290.000	33
110.000	0	300.000	50
120.000	0	310.000	133
130.000	0	320.000	216
140.000	0	330.000	300
150.000	0	340.000	300
160.000	0	350.000	300
170.000	0		
180.000	0		

Administrative Data		Emission Characteristics	
Source Notice Type: 1A5	Assigned Frequency: 100.600 [MHz]	Frequency Stability: NORMAL	
Date Of Notice: 27-Feb-1989	Frequency Stability: F8EHF	Class Of Emission: 300.000 [KHz]	
Date Notice Received: 084015519	Bandwidth: Maximum: 20.000 [MHz]	Effective Radiated Power (E.R.P.): Horizontal: 20.000 [dBW]	
Assignment ID: AUT	Azimuth Of Maximum Radiation: 65.000 [Deg]	Transmission System: A	
Notifying Admin: GE84			
ID Given By The Admin:			
Fragment:			
Station And Site Information		Findings Information	
Station Identification: BRUECKL	Type	Status	Findings
Site Name:			
Call Sign: BC			
Class Of Station: AUT			
Country: 1			
Radiocommunication Region: 14°31'00"E - 46°44'00"N			
Geographical Coordinates: 942 [m]			
Site Altitude Above Sea Level:			
Antenna Characteristics			
Antenna Directivity: D	Findings Observation:		
Polarization: H	Findings Reference:		
Height Above Ground Level: 70.000 [m]	Findings Action:		
Maximum Effective Height: 500 [m]			
			Source

Publication Information		Coordination Information				Decl Affect	
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date
35	GE84 / SS	A					
39	GE84 / SS	B					

Status Information	
Type	Date

Table Of Attenuations

Horizontal				Vertical			
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]
0.000	0.000	190.000	0.000				
10.000	0.000	200.000	1.000				
20.000	0.000	210.000	2.000				
30.000	0.000	220.000	4.000				
40.000	0.000	230.000	7.000				
50.000	0.000	240.000	10.000				
60.000	0.000	250.000	10.000				
70.000	0.000	260.000	8.000				
80.000	0.000	270.000	5.000				
90.000	0.000	280.000	3.000				
100.000	0.000	290.000	1.000				
110.000	0.000	300.000	0.000				
120.000	0.000	310.000	0.000				
130.000	0.000	320.000	0.000				
140.000	0.000	330.000	0.000				
150.000	0.000	340.000	0.000				
160.000	0.000	350.000	0.000				
170.000	0.000						
180.000	0.000						

Table Of Effective Antenna Heights

Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	300	190.000	500		
10.000	250	200.000	500		
20.000	200	210.000	500		
30.000	150	220.000	450		
40.000	50	230.000	400		
50.000	-150	240.000	350		
60.000	-200	250.000	350		
70.000	-100	260.000	350		
80.000	-50	270.000	400		
90.000	0	280.000	450		
100.000	150	290.000	450		
110.000	300	300.000	400		
120.000	500	310.000	350		
130.000	500	320.000	400		
140.000	500	330.000	400		
150.000	500	340.000	400		
160.000	500	350.000	400		
170.000	500				
180.000	500				