

Beilage 2 zu KOA 1.110/01-13

Technische Anlageblätter

Administrative Data		Emission Characteristics	
Source Notice Type:	IA5	Assigned Frequency:	103.200 [MHz]
Date Of Notice:		Frequency Stability:	NORMAL
Date Notice Received:	07-Dec-1984	Class Of Emission:	F8EHF
Assignment ID:	084015448	Bandwidth:	300.000 [kHz]
Notifying Admin:	AUT	Effective Radiated Power (E.R.P.):	37.800 [dBW]
ID Given By The Admin:		Horizontal:	37.800 [dBW]
Fragment:	GE84	Azimuth Of Maximum Radiation:	50.000 [Deg]
		Transmission System:	4
Station And Site Information		Findings Information	
Station Identification:	B GLEICHENBERG	Type	Status
Site Name:	B GLEICHENBERG		
Call Sign:	BC		
Class Of Station:	AUT		
Country:	AUT		
Radiocommunication Region:	1	Findings Observations:	
Geographical Coordinates:	15°56'00"E - 46°51'00"N	Findings Reference:	
Site Altitude Above Sea Level:	609 [m]	Findings Action:	
Antenna Characteristics			
Antenna Directivity:	D		
Polarization:	H		
Height Above Ground Level:	68.000 [m]		
Maximum Effective Height:	400 [m]		

Publication Information			Coordination Information					
Pub No	Pub Prefix	Pub Part	Adm	Provision	Status	Source	Date	Decl Affect
Status Information								
Type	Status	Date						

Table Of Attenuations

Horizontal				Vertical			
Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]	Azm [Deg]	Attn [dB]
0.000	7.000	190.000	13.000				
10.000	4.000	200.000	13.000				
20.000	2.000	210.000	13.000				
30.000	1.000	220.000	13.000				
40.000	0.000	230.000	13.000				
50.000	0.000	240.000	13.000				
60.000	0.000	250.000	13.000				
70.000	1.000	260.000	13.000				
80.000	2.000	270.000	13.000				
90.000	4.000	280.000	13.000				
100.000	7.000	290.000	13.000				
110.000	8.000	300.000	13.000				
120.000	9.000	310.000	13.000				
130.000	13.000	320.000	13.000				
140.000	13.000	330.000	13.000				
150.000	13.000	340.000	13.000				
160.000	13.000	350.000	9.000				
170.000	13.000						
180.000	13.000						

Table Of Effective Antenna Heights

Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]	Azm [Deg]	Hght [m]
0.000	400	190.000	400		
10.000	350	200.000	400		
20.000	400	210.000	400		
30.000	400	220.000	400		
40.000	400	230.000	400		
50.000	400	240.000	400		
60.000	350	250.000	400		
70.000	400	260.000	400		
80.000	400	270.000	400		
90.000	400	280.000	400		
100.000	400	290.000	350		
110.000	350	300.000	350		
120.000	400	310.000	350		
130.000	400	320.000	350		
140.000	400	330.000	400		
150.000	400	340.000	350		
160.000	400	350.000	350		
170.000	400				
180.000	400				